


yes!



Dado Ceramica

Dado Ceramica S.r.l. Via Sicilia 21 40017 San Matteo Decima BO Italy
Tel +39 051 6819611 Fax +39 051 6819650 www.dadoceramica.it info@dadoceramica.it



do
you have

?

Verve



Dado Ceramica

colori 25x45 colours 25x45

rosa		4
azzurro		6
lilla		10
verde		16
tortora		20

do you have




22	 rivestimenti wall tile
22	 pavimenti floor tile
24	 decori decors



rosa

D. Primula Rosa 25x45





D. Circle - D. Ritmo Azzurro 25x45




D. Vela Bianco - Tortora 12,5x45

VGR



D. Vela Bianco - Azzurro 12,5x45






D. Living Lilla 25x45



Tozz. Baccarat 4x10
Bacc. Baccarat 4x45

Verve







D. Gladys 25x45



D. Royal 25x45

verde



do you have
Verve



verde

D. Royal 25x45



Verve

25x45 10"x18"

bicottura double-fired



301436 07
Verve Bianco 25x45



301440 07
Verve Tortora 25x45



301439 07
Verve Azzurro 25x45



301437 07
Verve Rosa 25x45



301442 07
Verve Lilla 25x45



301438 07
Verve Verde 25x45



201479 19
Bacchetta Verve Bianco 2x45
Pz. Box 24



201483 19
Bacchetta Verve Tortora 2x45
Pz. Box 24



201482 19
Bacchetta Verve Azzurro 2x45
Pz. Box 24



201480 19
Bacchetta Verve Rosa 2x45
Pz. Box 24



201485 19
Bacchetta Verve Lilla 2x45
Pz. Box 24



201481 19
Bacchetta Verve Verde 2x45
Pz. Box 24

Pavimenti coordinati in gres porcellanato

Porcelain stoneware coordinated floors

HR 30,5x30,5 12"x12"



R02446 66
Cristallo HR 30,5x30,5



R02548 66
Tortora HR 30,5x30,5



R02441 66
Turchese HR 30,5x30,5



R02440 66
Fuxia HR 30,5x30,5



R02509 66
Lilla HR 30,5x30,5



R02385 66
Menta HR 30,5x30,5

I Legni in gres 15x60,6 6"x24" Rettificato Rectified



TP7500 15
Crema Rett. 15x60,6



TP7550 15
Mandorla Rett. 15x60,6



TP7600 15
Nocciola Rett. 15x60,6



TP7700 15
Cioccolato Rett. 15x60,6



TP7800 15
Amarena Rett. 15x60,6



TP7900 15
Caffè Rett. 15x60,6



TP7650 15
Liquirizia Rett. 15x60,6



TP7850 15
Stracciatella Rett. 15x60,6



TP7750 15
Fondente Rett. 15x60,6

bianco

tortora

azzurro

rosa

lilla

verde



001147 08
D. Gladys 25x45
Pz. Box 6

Verve

decori
decors



001135 10
D. Primula Rosa 25x45
Pz. Box 6



001136 10
D. Primula Lilla 25x45
Pz. Box 6



001182 27
D. Vela Bianco 12,5x45
Pz. Box 12



001181 29
Verve Bianco 25x45 Taglio 4x10
Pz. Box 6



201511 25
Tozz. Baccarat Tortora 4x10
Pz. Box 6




201513 25
Tozz. Baccarat Azzurro 4x10
Pz. Box 6



201507 13
Bacc. Baccarat Tortora 4x45
Pz. Box 12



201509 13
Bacc. Baccarat Azzurro 4x45
Pz. Box 12



001187 27
D. Vela Verde 12,5x45
Pz. Box 12



201489 37
Listello Royal 6x45
Pz. Box 12



001138 61
D. Royal B 25x45
Pz. Box 6




001140 61
D. Royal D 25x45
Pz. Box 6



001139 61
D. Royal C 25x45
Pz. Box 6




001137 61
D. Royal A 25x45
Pz. Box 6



001186 27
D. Vela Azzurro 12,5x45
Pz. Box 12




201499 39
Listello Ginger 6x45
Pz. Box 12



001159 55
D. Ritmo Azzurro 25x45
Pz. Box 6




001161 54
D. Circle Azzurro 25x45
Pz. Box 6



001141 55
D. Ritmo Verde 25x45
Pz. Box 6




001142 54
D. Circle Verde 25x45
Pz. Box 6



001185 27
D. Vela Rosa 12,5x45
Pz. Box 12



001152 07
D. Ginger Bianco 25x45
Pz. Box 6



001158 39
D. Living Tortora 25x45
Pz. Box 6



001155 39
D. Living Azzurro 25x45
Pz. Box 6



001157 39
D. Living Rosa 25x45
Pz. Box 6



001143 39
D. Living Lilla 25x45
Pz. Box 6



001156 39
D. Living Verde 25x45
Pz. Box 6

001153 07
D. Ginger Tortora 25x45
Pz. Box 6

Pesi e misure Weight and sizes Poids et mesures Gewichte und verpakung

articolo item article artikel	spessore thickness epaisseur stärke	pz/collo pcs/box pc/boite stk/ktn	mq/collo sqm/box m/boite qm/ktn	kg/collo kg/box kg/boite kg/ktn	colli/europal box/europal boites/europal ktn/europal	mq/europal sqm/europal m/europal qm/europal	kg/europal kg/europal kg/europal kg/europal
25x45 Verve	8,5	16	1,80	28,0	52	93,60	1480
30,5x30,5 HR	9	14	1,30	23,10	63	81,90	1480
15x60,6 I Legni in gres	9	14	1,273	22,50	50	63,65	1125

merchandising



TTP057 Pannello Sinottico Serie Verve
cm 100x200



Culla a 6 alloggi Serie Verve 25x45
Base cm 30x60x35 1
Pannelli cm 50x135 6
Peso tot. Culla + 6 Pannelli piastrellati kg 110

	Caratteristica tecnica - Technical feature Caractéristique technique Technische eigenschaft Технические характеристики	Norma Norms Norme Norme Стандарт	Valore richiesto dalle norme Required standards Valeur prescrite par les normes Normvorgabe Стандарт	
	Assorbimento d'acqua - Water absorption Absorption d'eau Wasseraufnahme Водопоглощение	UNI EN ISO 10545-3	≤ 0,5%	≤ 0,5%
	Resistenza alla flessione - Bending strength Résistance à la flexion Biegefestigkeit Предел прочности при изгибе	UNI EN ISO 10545-4	≥ 35 N/mm ²	Conforme Corresponding Conforme Entsprechend Соответствует
	Resistenza al gelo - Resistance to frost Résistance aux gel Frostbeständigkeit Морозостойкость	UNI EN ISO 10545-12	Nessuna alterazione No alteration Aucune alteration Keine Veränderung Без Изменений	Non gelivo Frost-proof Non gélifs Frostsicher Морозостойкий
	Caratteristiche di regolarità - Regularity characteristics Caractéristiques de régularité Regelmäßigkeit Правильность формы	UNI EN ISO 10545-2	Lunghezza e larghezza / Length and width Longueur et largeur / Länge und breite Длина и ширина ± 0,6% max Spessore / Thickness Épaisseur / Stärke / Толщина ± 0,5% max Rettilinearità spigoli / Straightness of sides Rectitude des arêtes / Kantengeradheit Прямолинейность граней ± 0,5% max Ortogonalità / Rectangularity Orthogonalité / Rechtwinkligkeit Ортогональность ± 0,6% max Planarità / Length and width Longueur et largeur / Ebenflächigkeit Плоскостность ± 0,5% max	Tolleranze minime Low alteration Minime alteration Geringe Veränderung Минимальные Отклонения
	Resistenza all'abrasione (metodo PEI) - Wear resistance (PEI test) Résistance à l'abrasion (méthode PEI) Widerstand gegen Abrieb (nach PEI) Износостойкость (тест PEI)	UNI EN ISO 10545-7	Come dichiarato	= > 3
	Resistenza alle macchie - Staining resistance Résistance aux taches Widerstand gegen Fleckenbildung Стойкость к образованию пятен	UNI EN ISO 10545-14	Min. 3	Conforme Corresponding Conforme Entsprechend Соответствует
	Stabilità dei colori - Colours stability Stabilité des couleurs Farbbeständigkeit Устойчивость цвета	DIN 51094	Stabile	Nessuna Variazione
	Durezza Superficie Mohs - Mohs surface hardness Dureté de la surface (échelle Mohs) Ritzhärte nach Mohs Твердость поверхности по шкале Mohs	UNI EN 101	≥ 6	6 - 8



Dado Ceramica